New Product				
Price Change		Mississippi - IT Hardware 3760		
Discontinued Administrative Change		October 18, 2021		
			US Suggested Retail	
	Order Code	Description	Price	MS EPL Price
Commercial Grade C Series		MultiSync C981Q - 98" Direct LED LCD Public Display Monitor,	1	
		3840 x 2160 (4K / UHD), 350 cd/m2, Anti Glare screen, HDMI In		
		x3, DisplayPort x2 / out, OPS and RPi Slot Capable, Local		
	C981Q	Dimming, 3 Year Commercial Warranty	\$ 11,449.00	\$ 8,586.75
		MultiSync C981Q – 98" Direct LED LCD Public Display monitor		
		with ATSC/NTSC Tuner bundle (OPS-TM01-BND), 3840 x 2160		
		(4K / UHD), 350 cd/m2, Anti-Glare Screen, HDMI In x3, DisplayPort In x2 / Out, OPS (Reserved for OPS-TM01-BND) and		
	C981Q-AVT3	RPi Slot Capable, Local Dimming, 3 Year Commercial Warranty	\$ 11,868.00	\$ 8,901.00
		C981Q – 98" SoC powered by RPi including MediaPlayer and		
		CMS platform digital signage display. Raspberry Pi SoC preinstalled, 3840 x 2160 (4K / UHD), 400 cd/m2, Anti-Glare		
		Screen, HDMI In x3, DisplayPort In x2 / Out, OPS Slot Capable,		
	C981Q-MPI	Local Dimming, 3 Year Commercial Warranty	\$ 11,868.00	\$ 8,901.00
		MultiSync C981Q – 98" Direct LED LCD Public Display monitor with internal digital signage PC (OPS-TAA8R-PS), 3840 x 2160		
		(4K / UHD), 350 cd/m2, Anti-Glare Screen, HDMI In x3,		
		DisplayPort x2 / Out, OPS and RPi Slot Capable, Local Dimming,		
	C981Q-PC4	3 Year Commercial Warranty 75" UHD collaborative display with integrated 10pt IR touch	\$ 17,378.00	\$ 13,033.50
		and built in Linux based 8.0 SoC. Includes Mosaic wireless		
		presentation and Mosaic Canvas interactive whiteboard		
		software, browser, and annotation tools. OPS slot, 3x HDMI		
	CB751Q	2.0, VGA, LAN, 6x USB, RS-232, 350cd/m ² MAX, 3yr warranty, wall mount included	\$ 7,029.00	\$ 4,568.85
		86" UHD collaborative display with integrated 10pt IR touch	<i> </i>	¢ 1,500.05
		and built in Linux based 8.0 SoC. Includes Mosaic wireless presentation and Mosaic Canvas interactive whiteboard		
		software, browser, and annotation tools. OPS slot, 3x HDMI		
		2.0, VGA, LAN, 6x USB, RS-232, 350cd/m^2 MAX, 3yr warranty,		
	CB861Q	wall mount included	\$ 9,478.00	\$ 6,160.70
MultiSync M Series Large Format Display				
Waldsyne W Series Large Format Display				
		MultiSync M431 - 43" LED LCD Public Display Monitor, 3840 x 2160 (UHD), 24/7, 500 cd/m2, Landscape/Portrait, HDMI In x2,		
		DisplayPort In, Audio Mini-Jack Out, Full bidirectional control		
		through RS232C and LAN, Accepts Intel? Smart Display Module		
		Small, Large or Raspberry Pi Compute Module 4 (requires		
		separate MPi4E accessory), Integrated 10W x 2 Speakers, Full Input Detect Functionality, Integrated Ambient Light Sensor,		
		Metal Chassis, 3 Year Commercial Warranty, Stand not		
	M431	included (ST-43M or ST-401)	\$ 1,399.00	\$ 1,049.25
		MultiSync M491 - 49" LED LCD Public Display Monitor, 3840 x		
		2160 (UHD), 24/7, 500 cd/m2, Landscape/Portrait, HDMI In x2,		
		DisplayPort In, Audio Mini-Jack Out, Full bidirectional control		
		through RS232C and LAN, Accepts Intel? Smart Display Module Small, Large or Raspberry Pi Compute Module 4 (requires		
		separate MPi4E accessory), Integrated 10W x 2 Speakers, Full		
		Input Detect Functionality, Cisco Certified Compatible Display,		
	M401	Integrated Ambient Light Sensor, Metal Chassis, 3 Year Commercial Warranty, Stand not included (ST-43M or ST-401)	\$ 1,599.00	\$ 1,199.25
	M491	Commercial Warranty, Stand not included (ST-43M or ST-401)	\$ 1,599.00	\$ 1,199.25
		MultiSync M551 - 55" LED LCD Public Display Monitor, 3840 x 2160 (LHD) 24/7 500 cd/m2 Landscape/Portrait HDML In x2		
		2160 (UHD), 24/7, 500 cd/m2, Landscape/Portrait, HDMI In x2, DisplayPort In, Audio Mini-Jack Out, Full bidirectional control		
		through RS232C and LAN, Accepts Intel? Smart Display Module		
		Small, Large or Raspberry Pi Compute Module 4 (requires		
		separate MPi4E accessory), Integrated 10W x 2 Speakers, Full		
		Input Detect Functionality, Integrated Ambient Light Sensor, Metal Chassis, 3 Year Commercial Warranty, Stand not		
	M551	included (ST-43M or ST-401)	\$ 2,499.00	\$ 1,874.25
		2160 (UHD), 24/7, 500 cd/m2, Landscape/Portrait, HDMI In x2,		·
		DisplayPort In, Audio Mini-Jack Out, Full bidirectional control		
		through RS232C and LAN, Accepts Intel? Smart Display Module		
		Small, Large or Raspberry Pi Compute Module 4 (requires		
		separate MPi4E accessory), Integrated 10W x 2 Speakers, Full Input Detect Functionality, Integrated Ambient Light Sensor,		
		Metal Chassis, 3 Year Commercial Warranty, Stand not		
	M651	included (ST-65M)	\$ 2,899.00	\$ 2,174.25
MultiSync ME Series Large Format Display				

New Product				
Price Change	SHARP/N	Mississippi - IT Hardware 3760		
Discontinued Administrative Change		October 18, 2021		
	Order Code	Description	US Suggested Retail Price	MS EPL Price
	ME431	MultiSync ME431 - 43" LED LCD Public Display Monitor, 3840 x 2160 (UHD), 18/7, 400 cd/m2, Landscape/Portrait, HDMI In x2, DisplayPort In, Audio Mini-Jack Out, Full Bidirectional Control through R5232C and LAN, Accepts Intel? Smart Display Module Small, Large or Raspberry Pi Compute Module 4 (requires separate MPi4E accessory), Integrated 10W x 2 Speakers, Full Input Detect Functionality, Even Bezel Design, Metal Chassis, 3 Year Commercial Warranty, Stand not included (ST-43M) Wantsynt Meta1 - 43 LCD CEP robin Conspiry Womton, 5840 x	\$ 1,399.00	\$ 1,049.25
		2160 (UHD), 18/7, 400 cd/m2, Landscape/Portrait, HDM In x2, DisplayPort In, Audio Mini-Jack Out, Full Bidirectional Control through RS232C and LAN, includes the NEC MediaPlayer on the installed Raspberry PI Compute Module 4 SoC, Integrated 10W x 2 Speakers, Full Input Detect Functionality, Even Bezel Design, Metal Chassis, 3 Year Commercial Warranty, Stand not included (ST-43M)		
	ME431-MPI4E		\$ 1,650.00	\$ 1,237.50
		MultiSync ME501 - 50" LED LCD Public Display Monitor, 3840 x 2160 (UHD), 18/7, 400 cd/m2, Landscape/Portrait, HDMI In x2, DisplayPort In, Audio Mini-Jack Out, Full bidirectional control through RS232C and LAN, Accepts Intel? Smart Display Module Small, Large or Raspberry Pi Compute Module 4 (requires separate MPi4E accessory), Integrated 10W x 2 Speakers, Full Input Detect Functionality, Even Bezel Design, Metal Chassis, 3		
	ME501	Year Commercial Warranty, Stand not included (ST-43M) Mantopire Microsoft Stand Not St	\$ 1,599.00	\$ 1,199.25
	ME551	401)	\$ 1,799.00	\$ 1,349.25
MultiSync MA Series Large Format Display	<u>MA491</u>	MultiSync M491 - 49" LED LCD Public Display Monitor, 3840 x 2160 (UHD), 24/7, 500 cd/m2, Landscape/Portrait, HDMI In x2, DisplayPort In, Audio Mini-Jack Out, Full bidirectional control through RS232C and LAN, Accepts Intel? Smart Display Module Small, Large or Raspberry Pi Compute Module 4 (requires separate MPi4E accessory), Integrated 10W x 2 Speakers, Full Input Detect Functionality, Cisco Certified Compatible Display, Integrated Ambient Light Sensor, Metal Chassis, 3 Year Commercial Warranty, Stand not included (ST-43M or ST-401) Bidirectional Control through RS232C and LAN In/Out, Accepts Intel? Smart Display Module Small, Large or Raspberry Pi Compute Module 4 (requires separate MPi4E accessory), Integrated Audio Amplifier, Full Input Detect Functionality, USB Hub, Metal Chassis, 3 Year Commercial Warranty, Stand not included (ST-43M or ST-401) Wardsyntermetric HDMI In x2/Out, DisplayPort In x2/Out (SST/MST), Audio Mini-Jack Out, Full Bidirectional Control	\$ 1,999.00	\$ 1,499.25
	MA551	through RS232C and LAN In/Out, Accepts Intel? Smart Display Module Small, Large or Raspberry Pi Compute Module 4 (requires separate MPi4E accessory), Integrated Audio Amplifier, Full Input Detect Functionality, USB Hub, Metal Chassis, 3 Year Commercial Warranty, Stand not included (ST- 43M or ST-401)	\$ 2,899.00	\$ 2,174.25
Entry Level E Series		32 LED Public Display Wonitor with Duilt-In AISC (8-VSB, Clear-		
	E328	QAM)/NTSC tuner. 1920 x 1080 native resolution, HDM x3, VGA, RCA Composite/Component, ON/OFF Scheduler, USB Media Player, USB Power Delivery, CEC, Integrated SW x 2 Speakers, Wake On HDMI Functionality, RS-232C / LAN Control, 3 Year Warranty. Tabletop Stand not included (ST-32E) (Suggested replacement model for E326)	\$ 659.00	\$ 445.09
		43" LED Public Display Monitor with built-in ATSC (8-VSB, Clear- QAM)/NTSC tuner. 3840 x 2160 native resolution (4K / UHD), HDMI 2.0 x3, VGA, RCA Composite/Component, ON/OFF Scheduler, USB Media Player, USB Power Delivery, CEC, Integrated 10W x 2 Speakers, Wake On HDMI Functionality, RS- 232C / LAN Control, 3 Year Warranty. Tabletop Stand not		
	E437Q	included (ST-43E) (Suggested replacement model for E436)	\$ 1,049.00	\$ 708.49

New Product Price Change		NEC Mississippi - IT Hardware 3760						
Discontinued Administrative Change	October 18, 2021							
-	Order Code	Description	Price	MS EPL Price				
	E507Q	50" LED Public Display Monitor with built-in ATSC (8-VSB, Clear- QAM)/NTSC tuner. 3840 x 2160 native resolution (4K / UHD), HDMI 2.0 x3, VGA, RCA Composite/Component, ON/OFF Scheduler, USB Media Player, USB Power Delivery, CEC, Integrated 10W x 2 Speakers, Wake On HDMI Functionality, RS- 232C / LAN Control, 3 Year Warranty. Tabletop Stand not included (ST-43E)Suggested replacement model for E506 SS LED Public Display Momitor With Built-in ATSC (5-VSB, Clear-	\$ 1,899.00	\$ 1,282.58				
		QAM)/NTSC tuner. 3840 x 2160 native resolution (4K / UHD), HDMI 2.0 x3, VGA, RCA Composite/Component, ON/OFF Scheduler, USB Media Player, USB Power Delivery, CEC, Integrated 10W x 2 Speakers, Wake On HDMI Functionality, RS- 232C / LAN Control, 3 Year Warranty. Tabletop Stand not						
	E557Q	included (ST-43E)	\$ 1,899.00	\$ 1,282.58				
		65" LED Public Display Monitor with built-in ATSC (8-VSB, Clear- QAM)/NTSC tuner. 3840 x 2160 native resolution (4K / UHD), HDMI 2.0 x3, VGA, RCA Composite/Component, ON/OFF Scheduler, USB Media Player, USB Power Delivery, CEC, Integrated 10W x 2 Speakers, Wake On HDMI Functionality, RS- 232C / LAN Control, 3 Year Warranty. Tabletop Stand not						
	E657Q	included (ST-65E3) (Suggested replacement for E656)	\$ 4,299.00	\$ 2,903.54				
Commercial Grade V Series		MultiSync V754Q - 75" Slim LED LCD Public Display Monitor,						
	V754Q	3840 x 2160 (4K / UHD), 500 cd/m2, Anti Glare screen, HDMI In x3, DisplayPort x2 / out, OPS and RPi Slot Capable, Local Dimming, 3 Year Commercial Warranty (Suggested replacement model for X651UHD-2) V754Q 75° LED LCD Public Display Monitor with A ISC/NTSC	\$ 5,749.00	\$ 3,736.85				
	V754Q-AVT3	Tuner bundle (OPS-TM01-BND), 3840 x 2160 (4K / UHD), 500 nits, Anti-Glare Screen, HDMI In x3, DisplayPort In x2/Out, OPS (Reserved for OPS-TM01-BND) and RPi Slot Capable, Local Dimming, 3 Year Commercial Warranty (Suggested replacement model for P703)	\$ 6,168.00	\$ 4,317.60				
		V754Q 75" SoC powered by RPI including MediaPlayer and CMS platform digital signage display. Raspberry Pi SoC preinstalled, 500 nits, Anti-Glare Panel, Local Dimming, HDMI x3, DP 1.2 x 2/Out, OPS slot, 24/7 runtime, 3 year warranty, stand not						
	V754Q-MPI	included (ST-401) MultiSync V754Q – 75" Direct LED LCD Public Display monitor with internal digital signage PC (OPS-TAA8R-PS), 3840 x 2160	\$ 6,168.00	\$ 4,317.60				
	V754Q-PC4	 (4K / UHD), 500 cd/m2, Anti-Glare Screen, HDMI In x3, DisplayPort In x2/Out, OPS and RPi Slot Capable, Local Dimming, 3 Year Commercial Warranty MultiSync V86AQ - 86" Slim LED LCD Public Display Monitor, 3840 x 2160 (4K / UHD), 500 cd/m2, Anti Glare screen, HDMI In 	\$ 9,731.00	\$ 6,811.70				
	V864Q	x3, DisplayPort x2 / out, OPS and RPi Slot Capable, Local Dimming, 3 Year Commercial Warranty V864Q 86" LED LCD Public Display Monitor with ATSC/NTSC	\$ 8,999.00	\$ 5,849.35				
	V864Q-AVT3	Tuner bundle (OPS-TM01-BND), 3840 x 2160 (4K / UHD), 500 nits, Anti-Glare Screen, HDMI In x3, DisplayPort In x2/Out, OPS (Reserved for OPS-TM01-BND) and RPI Slot Capable, Local Dimming, 3 Year Commercial Warranty	\$ 9,418.00	\$ 6,592.60				
	10040-1110	V864Q2 86° SoC powered by RPI including MediaPlayer and CMS platform digital signage display. Raspberry Pi SoC preinstalled, 500 nits, Anti-Glare Panel, Local Dimming, HDMI x3, DP 1.2 x 2/Out, OPS slot, 24/7 runtime, 3 year warranty, stand not	<i>y</i> 5,410.00	\$ 0,352.00				
	V864Q-MPI	included (ST-401) MultiSync V864Q – 86" Direct LED LCD Public Display monitor with internal digital signage PC (OPS-TAA8R-PS), 3840 x 2160 (4K / UHD), 500 cd/m2, Anti-Glare Screen, HDMI In x3, DisplayPort In x2/Out, OPS and RPi Slot Capable, Local	\$ 9,418.00	\$ 6,592.60				
	V864Q-PC4	Displayed (mix2/Out, ors and Kr) slot capable, Eccal Dimming, 3 Year Commercial Warranty MultiSync V984Q - 98" Direct LED LCD Public Display Monitor, 3840 x 2160 (4K / UHD), 500 cd/m2, Anti Glare screen, HDMI In x3, DisplayPort x2 / out, OPS and RPi Slot Capable, Local	\$ 14,076.00	\$ 9,853.20				
	<u>V984Q</u>	Dimming, 3 Year Commercial Warranty V984Q 98" LED LCD Public Display Monitor with ATSC/NTSC Tuner bundle (OPS-TM01-BND), 3840 x 2160 (4K / UHD), 500 nits, Anti-Glare Screen, HDMI In x3, DisplayPort In x2/Out, OPS (Reserved for OPS-TM01-BND) and RPi Slot Capable, Local	\$ 16,649.00	\$ 10,821.85				
	V984Q-AVT3	Dimming, 3 Year Commercial Warranty V984Q 98" SoC powered by RPI including MediaPlayer and CMS platform digital signage display. Raspberry Pi SoC preinstalled, 500 nits, Anti-Glare Panel, Local Dimming, HDMI x3, DP 1.2 x 2/Out, OPS slot, 24/7 runtime, 3 year warranty, stand not	\$ 17,068.00	\$ 11,947.60				
	V984Q-MPI	included (ST-401) MULTISYNC V984Q – 98 DIFECT LED LED PUBLIC DISPLAY MONITOR with internal digital signage PC (OPS-TAA8R-PS), 3840 x 2160 (4K / UHD), 500 cd/m2, Anti-Glare Screen, HDMI In x3, DisplayPort In x2/Out, OPS and RPI Slot Capable, Local	\$ 17,068.00	\$ 11,947.60				
	V984Q-PC4	Dimming, 3 Year Commercial Warranty	\$ 24,330.00	\$ 17,031.00				

Administrative Cange Dide Code Description UD Suggetod Retail Professional Grade UN Sories Professional Grade UN Sories Interce, W., NO Noving Inte, Corpus Company, 1999;1000 Interce, W., NO Noving Inte, Corpus Company, 1999;1000 Values Values, V., NO Noving Inte, Corpus Company, 1999;1000 Values, V., NO Noving Interce, V., No Noving I	New Product Price Change Discontinued	SHARP/N	EC Mississippi - IT Hardware 3760 October 18, 2021						
Image: control to the standard of the s		OLIODET 18, 2021							
UNEX2 1000000000000000000000000000000000000		Order Code	Description		MS EPL Price				
Initial Control 100 Line LED Solation U. 700 Garbs Explories. HOM 2.0 2 VARIAL Charm Dealy Char. Sector View Control Control U. 20 2 Market Deary Charm. Sector View Control Control U. 20 Control Control U. 20 5 VARIAL X40000 Control U. 200 Control U.	Professional Grade UN Series	1	UIVYUZA, 40 LED LED, SF VA, 2570 Haze, Uitta Ivanow Dezer	1					
UH462A Xx44,105 2) 5 5.992,00 5 4.425 USADD Status Product Docards Holds: Globals Models: DOCADD 2 5 5.992,00 5 4.252 UH462X Status Product Docards Holds: Clobals Models: Docabals Models: Docabals Models: Docabals 5 4.693,00 5 3.226 UH462X Status Product Docabals Status Product Docabals 5 4.693,00 5 3.226 UH462X Status Product Docabals Status Product Docabals 5 4.693,00 5 3.226 UH462X Status Product Docabals Status Product Docabals 5 6.699,00 5 3.226 UH462X Status Product Docabals Status Product Docabals 5 6.699,00 5 3.226 UH462X Status Product Docabals Status Product Docabals Status Product Docabals 5 6.699,00 5 3.226 UH462X Status Product Docabals Status Product Docabals Status Product Docabals 5 3.299,00 5 4.97 UH462X Status Product Docabals			(FHD), Direct LED backlit unit, 700 cd/m2 brightness, HDMI 2.0 x2/Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, UHD Capable through Daisy Chain, SpectraView Engine Color Control, USB Media Player, Full External Control through LAN Daisy						
ISAm bardt bezel Nublic Dingla Monten; 1920.000 Intel Dingla Monten; 100 Add Dingla Monten; 1920.000 IPAD Jany Class, Starting Tagle Class Chamb, LBB Jany Class, Starting Tagle Class Chamber Jang Dingla Monten; 1920.0100 Start, Start Warman, 200 Monten; 1920.0100 Start,		UN462A	X464UNS-2)	\$ 5,999.00	\$ 4,199.30				
UM925_11201_05_975_911201_05_975_911404_01121_22/20aty Direct_22D patch Units, UM920_0112_22/20aty Chan, UH0 Capable through Dails (Cyber, FLB Sternal Cancer Carrent, Local Daily, Chan, SpectraVW engine Calcur Carrent, Local Daily, Chan, SpectraVW engine Carrent Through LAN Daily, Chan, SpectraVW engine Daily Calcur, 2014, Chan, Daily Calcur, Calcur, 2014, Chan, Daily Calcur, 2014, Chan, Chan, Chan, Daily Chan, SpectraVW engine, Calcur, 2014, Chan, Chan, Chan, UHC, Calcur, Calcur, Chan, UHC, Calcur, Calcur, Chan, Chan			(3.5mm bezel to bezel) Public Display Monitor, 1920x1080 (FHD), Direct LED backlit unit, 500 cd/m2 brightness, HDMI 2.0 x2/Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, UHD Capable through Daisy Chain, SpectraView Engine Color Control, USB Media Player, Full External Control through LAN Daisy Chain/RS232, RPi Compute Module Compatible, OPS Slot						
IN PT 4: UN4925 Builder with four ONSTEME-V310, 094 - 0 AM PT acides, 251 ctats patch challs, serviceable fully adjustable mounting system that supports innorme etc. 5 26,890.00 5 18,825 UN4925-TMK4P Beark III, 171-DCC Color Calibration KIII, R/Remote KII, FT 5 26,890.00 5 18,825 UN4925-TMK4P Beark III, 171-DCC Color Calibration KIII, R/Remote KII, FTEE Standard 5 59,999.00 5 18,825 UN4925-TMK4P Ground Freight S 59,999.00 5 41,995 UN4925-TMK4P Ground Freight S 59,999.00 5 41,995 UN4925-TMK0P Ground Freight S 59,999.00 5 6,575 Ground Freight S 59,999.00 5 6,575 UN4925-TMK0P Ground Freight S 59,999.00 5 6,575 UN552 Homping USB Media Physic Full External Compt Nucle CPS ont Support, 31 var Warrang V Su			UN492S, 49" LED LCD, S-IPS, 28% Haze, Even Ultra Narrow Bezel (1.8mm bezel to bezel) Public Display Monitor, 1920x1080 (FHD), Direct LED backlit unit, 700 cd/m2 brightness, HDMI 2.0 x2/Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, UHD Capable through Daisy Chain, SpectraView Engine Color Control, Local Dimming, USB Media Player, Full External	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
UH4925 TMXAP Bezel KL, TL-TL-PCC2 Color Calibration KL, IR/Remote KL, CMP 3 UM4920 MIM MIL IN IRVENSION IN IRVENSION STATUS S 26,899.00 \$ 18,825 OP Cables, 25ft cables, active patch cable, service UL455 patch cable, service UL45 patch		UN492S	Qty 4 - UN492S bundled with four ONSTEMN-3Y-14, Qty 4 - 3M DP cables, 25ft cat5e patch cable, serviceable- fully	\$ 6,399.00	\$ 4,479.30				
DP Cables, 25ft catSe patch cable, services builty adjustable mounting system that supports landscape and portial orientation, SurgeX power Conditioner, Devrime Bear KI, KT- LEP, CC2 Color Cablisation KI, RJREmote KI, FREE Standard Ground Freight \$ 59,999.00 \$ 41,995 UN4925-TMXSP Ground Freight \$ 59,999.00 \$ 41,995 (13,5mm bezel to bezel) Fubic Display Monto, 1320/0180 \$ 59,999.00 \$ 41,995 (27,035,250 CDC CC) restation to the comparison of the table service based (13,5mm bezel to bezel) Fubic Display Monto, 1320/0180 \$ 59,999.00 \$ 6,575 UN552 The table service table control through LAN Dialy Chain/S252, RR FOOmpate Model compatible, DFS Slot Support, 3 Year Warrany Suggested Replacement Model for the tx554UNS) \$ 9,399.00 \$ 6,575 UN552 Thattice Area around all sides (0.88mm table), DFS Slot Support, 3 Year Warrany Suggested Replacement Model for the tx554UNS) \$ 9,399.00 \$ 6,575 UN552 Thattice Area around all sides (0.88mm table), DFS Slot Support, 3 Year Warrany Suggested Replacement Model for the tx554UNS \$ 9,399.00 \$ 6,575 UN552 The table service table, 22,220 and table shough Dainy Chain, Spectraview Englise Slot Support, 3 Year Warrany Suggested replacement for UNSSSS Support, 3 Year Warrany Suggested replacement for UNSSSS Support, 3 Year Warrany Suggested replay of the Slot Support, 3 Year Warrany Suggested replay adjustable mounting pytem, 02,73 - Sugge You port power conditioners, KT-IFD- CC2 Color Calibration KI, RRemote KI, REE Standard Ground Freight - LIMIT		UN492S-TMX4P	portrait orientation, SurgeX power conditioner, Overframe	\$ 26.899.00	\$ 18,829.30				
UN4925-TMX9P Ground Freight \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ (13,5mm bezet to beat) Public DiagN Monitor, 1320x1080 (HD)			DP Cables, 25ft cat5e patch cable, serviceable- fully adjustable mounting system that supports landscape and portrait orientation, SurgeX power Conditioner, Overframe Bezel Kit, KT-		¥ 10,023,30				
(13.5mm bezel to bezilp Public DisplayMonitor, 1520.0080 (HFIN), Direct LED backlis unit, 700 c/m/z Displayment, Valo Capable through Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, UHD Capable through Daisy Chain, SpectraView Engine Color Corrol, Local Dimming, USB Media Paleyr, Full External Control through LAN Daisy Chain/RS232, RPI Compute Module Compatible, OPS Slot Support, 3 Year Warranty (Suggested Replacement Model for Hex XS54, V32 Muset in Eutors and an idea (Samm total between display), Factory Calibration for Out-of-the-Box Usage, Localized Dimming for higher Dynamic Control, USB Media Dimming for higher Dynamic Control, USB Media Player, Full External Control Horss, HOMI x2/Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, 2000 (FHD), Direct LED backlit unit, 700 c/m/2 brightness, HOMI x2/Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, 2000 (Samma, 2000) Direct LED backlit Unit, 700 c/m/2 brightness, HOMI x2/Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, 2000 (Samma, 2000) Chain, DisplayPort 1.2 x2/Daisy Chain, 2000 (Samma, 2000) Direct LED backlit Unit, 700 c/m/2 brightness, HOMI x2/Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, 2000 (Samma, 2000) Direct LED backlit Unit, 700 c/m/2 brightness, HOMI x2/Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, 2000 (Samparti, 2000) Direct LED backlit Unit, 700 c/m/2 brightness, HOMI x2/Daisy Chain, 2000 (Sampart), 2000 (Sampart), 2000 (Sampart, 2000) Direct LED backlit Units, 700 c/m/2 brightness, HOMI x2/Daisy Chain, 700 (Java Ling), 2000 (Sampart, 2000) Direct LED backlit Units, 700 c/m/2 brightness, HOMI x2/Daisy Chain, 700 (Java Ling), 2000 (Sampart, 2000) Direct LED backlit Units, 700 c/m/2 bright Ling), 2000 (Sampart, 2000) Direct LED backlit Units, 700 c/m/2 bright, 7150 c/m/2		UN492S-TMX9P	Ground Freight	\$ 59,999.00	\$ 41,999.30				
UN3525, 35: Direct LCD, PL approved to Constant Construction 1 Inactive Area around all sides (0.88mm total between displays), Factory Calibration for Out-of-the-Box Usage, Localized Dimming for higher Dynamic Contrast Ratio, 12920.0180 (FHD), Direct LED backlit unit, 700 cd/m2 brightness, HDMI s2/Daisy Chain, DisplayPort 12, s2/Daisy Chain, UHD Capable through Daisy Chain, SpectraView Engine Color Control, USB Media Player, Full External Control through LAN Daisy Chain/RS323, RPI Compute Module Compatible, OPS SIGT SUpport, 3 Year Warranty (Suggested replacement for UN5515) LIMITED \$ 9,999.00 \$ 6,995 Qtty 4 - UN5525 bundled with four ONSTEMN-3Y-16 warranties, 25ft catEs patch cable, 2 x 2 pull-out fully adjustable mounting system, Qty 2 - SurgeX four port power conditioners, KT-LPD- CC2 Color Calibration Kit, IR/Remote Kit, FREE Standard Ground S 36,299.00 \$ 58,795 Qtty 9 - UN5525 bundled with nine ONSTEMN-3Y-16 warranties, 25ft catEs patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, KT-LPD- CC2 Color Calibration Kit, IR/Remote Kit, FREE Standard Ground \$ 83,999.00 \$ 58,795 Qtty 9 - UN552 bundled with nine ONSTEMN-3Y-16 warranties, 25ft catEs patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, KT-D- CC2 Color Calibration Kit, IR/Remote Kit, FREE Standard Ground \$ 83,999.00 \$ 58,795 Qtty 4 - UN		UN552	(3.5mm bezel to bezel) Public Display Monitor, 1920x1080 (FHD), Direct LED backlit unit, 700 cd/m2 brightness, HDMI 2.0 x2/Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, UHD Capable through Daisy Chain, SpectraView Engine Color Control, Local Dimming, USB Media Player, Full External Control through LAN Daisy Chain/RS232, RPI Compute Module Compatible, OPS Slot Support, 3 Year Warranty (Suggested Replacement Model for	\$ 9,399.00	\$ 6,579.30				
25ft cat5e patch cable, 2 x 2 pull-out fully adjustable mounting system, Qty 2 - SurgeX four port power conditioners, KT-LFD- CC2 Color Calibration Kit, IR/Remote Kit, FREE Standard Ground Freight - LIMITED AVAILABILITY\$ 36,299.00 \$ 25,405UN5525-TMX4PGty 9 - UN5525 bundled with nine ONSTEMN-3Y-16 warranties, 25ft cat5e patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, KT-LFD- CC2 Color Calibration Kit, IR/Remote Kit, FREE Standard Ground Preight - LIMITED AVAILABILITY\$ 83,999.00 \$ 58,795UN5525-TMX9PFreight - LIMITED AVAILABILITY\$ 83,999.00 \$ 58,795Qty 4 - UN552 bundled with four ONSTEMN-3Y-15 warranties, 25ft cat5e patch cable, 2 x 2 pull-out fully adjustable mounting system, Qty 2 - SurgeX four port power conditioners, Overframe Bezel Kit, KT-LFD-CC2 Color Calibration Kit, IR/Remote Kit, FREE Standard Ground Freight\$ 36,299.00 \$ 25,405UN552-TMX4PIR/Remote Kit, FREE Standard Ground Freight\$ 36,299.00 \$ 25,405			Inactive Area around all sides (0.88mm total between displays), Factory Calibration for Out-of-the-Box Usage, Localized Dimming for higher Dynamic Contrast Ratio, 1920x1080 (FHD), Direct LED backlit unit, 700 cd/m2 brightness, HDMI x2/Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, UHD Capable through Daisy Chain, SpectraView Engine Color Control, USB Media Player, Full External Control through LAN Daisy Chain/RS232, RPi Compute Module Compatible, OPS Slot Support, 3 Year Warranty (Suggested replacement for UN551S) LIMITED						
UN5525-TMX4PFreight - LIMITED AVAILABILITY\$ 36,299.00\$ 25,405Qty 9 - UN5525 bundled with nine ONSTEMN-3Y-16 warranties, 25ft cat5e patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, KT-LFD- CC2 Color Calibration Kit, IR/Remote Kit, FREE Standard Ground Freight - LIMITED AVAILABILITY\$ 83,999.00\$ 58,795Qty 4 - UN5525-TMX9PFreight - LIMITED AVAILABILITY\$ 83,999.00\$ 58,795Qty 4 - UN552 bundled with four ONSTEMN-3Y-15 warranties, 25ft cat5e patch cable, 2 x 2 pull-out fully adjustable mounting system, Qty 2 - SurgeX four port power conditioners, Overframe Bezel Kit, KT-LFD-CC2 Color Calibration Kit, UN552-TMX4P\$ 36,299.00\$ 25,405Qty 9 - UN552 bundled with nine ONSTEMN-3Y-15 warranties, 25ft cat5e patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, Qty 9 - UN552 bundled with nine ONSTEMN-3Y-15 warranties, 25ft cat5e patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, Qty 9 - UN552 bundled with nine ONSTEMN-3Y-15 warranties, 25ft cat5e patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, C100 - C22 color Calibration Kit,\$ 36,299.00\$ 25,405			25ft cat5e patch cable, 2 x 2 pull-out fully adjustable mounting system, Qty 2 - SurgeX four port power conditioners, KT-LFD-						
25ft cat5e patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, KT-LFD-CC2 Color Calibration Kit, IR/Remote Kit, FREE Standard Ground Freight - LIMITED AVAILABILITY \$ 83,999.00 \$ 58,799 Qty 4 - UN552 bundled with four ONSTEMN-3Y-15 warranties, 25ft cat5e patch cable, 2 x 2 pull-out fully adjustable mounting system, Qty 2 - SurgeX four port power conditioners, Overframe Bezel Kit, KT-LFD-CC2 Color Calibration Kit, UN552-TMX4P \$ 36,299.00 \$ 25,409 Qty 9 - UN552 bundled with nine ONSTEMN-3Y-15 warranties, 25ft cat5e patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, 00 service and serv		UN552S-TMX4P			\$ 25,409.30				
25ft cat5e patch cable, 2 x 2 pull-out fully adjustable mounting system, Qty 2 - SurgeX four port power conditioners, Overframe Bezel Kit, KT-LFD-CC2 Color Calibration Kit, \$ 36,299.00 \$ 25,405 UN552-TMX4P IR/Remote Kit, FREE Standard Ground Freight \$ 36,299.00 \$ 25,405 Qty 9 - UN552 bundled with nine ONSTEMN-3Y-15 warranties, 25ft cat5e patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, \$ 36,299.00 \$ 25,405		UN552S-TMX9P	25ft cat5e patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, KT-LFD- CC2 Color Calibration Kit, IR/Remote Kit, FREE Standard Ground		\$ 58,799.30				
25ft cat5e patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners,		UN552-TMX4P	25ft cat5e patch cable, 2 x 2 pull-out fully adjustable mounting system, Qty 2 - SurgeX four port power conditioners, Overframe Bezel Kit, KT-LFD-CC2 Color Calibration Kit,	\$ 36,299.00	\$ 25,409.30				
UN552-TMX9P IR/Remote Kit, FREE Standard Ground Freight \$ 83,999.00 \$ 58,799		UN552-TMX9P	25ft cat5e patch cable, 3 x 3 pull-out fully adjustable mounting system, Qty 3 - SurgeX four port power conditioners, Overframe Bezel Kit, KT-LFD-CC2 Color Calibration Kit,	\$ 83,999.00	\$ 58,799.30				

ice Change		Mississippi - IT Hardware 3760				
scontinued dministrative Change		October 18, 2021				
			US Sugge	ested Retail		
	Order Code	Description	Р	rice	M	EPL Price
		(3.5mm bezel to bezel) Public Display Monitor, 1920x1080				
		(FHD), Direct LED backlit unit, 500 cd/m2 brightness, HDMI 2.0				
		x2/Daisy Chain, DisplayPort 1.2 x2/Daisy Chain, UHD Capable				
		through Daisy Chain, SpectraView Engine Color Control, Local				
		Dimming, USB Media Player, Full External Control through LAN				
		Daisy Chain/RS232, RPi Compute Module Compatible, OPS Slot				
		Support, 3 Year Warranty (Suggested Replacement for				
	UN552V	X555UNV)	\$	6,999.00	\$	4,899.3
		UN552VS, 55" Direct-Lit LCD, S-IPS, 28% Haze, 0.44mm Even				
		Inactive Area around all sides (0.88mm total between displays),				
		Factory Calibration for Out-of-the-Box Usage, Localized				
		Dimming for higher Dynamic Contrast Ratio, 1920x1080 (FHD),				
		Direct LED backlit unit, 500 cd/m2 brightness, HDMI x2/Daisy				
		Chain, DisplayPort 1.2 x2/Daisy Chain, UHD Capable through				
		Daisy Chain, SpectraView Engine Color Control, USB Media				
		Player, Full External Control through LAN Daisy Chain/RS232,				
		RPi Compute Module Compatible, OPS Slot Support, 3 Year				
		Warranty (Suggested replacement for UN551VS) LIMITED	Ι.			
	UN552VS	AVAILABILITY & X555UNS	\$	7,499.00	\$	5,249.3
		Qty 4 - UN552VS bundled with four ONSTEMN-3Y-15				
		warranties, 25ft cat5e patch cable, 2 x 2 pull-out fully				
		adjustable mounting system, Qty 2 - SurgeX four port power				
		conditioners, KT-LFD-CC2 Color Calibration Kit, IR/Remote Kit,				
	UN552VS-TMX4P	FREE Standard Ground Freight - LIMITED AVAILABILITY	\$	29,999.00	\$	20,999.3
		-				,
		Qty 9 - UN552VS bundled with nine ONSTEMN-3Y-15				
		warranties, 25ft cat5e patch cable, 3 x 3 pull-out fully				
		adjustable mounting system, Qty 3 - SurgeX four port power				
		conditioners, KT-LFD-CC2 Color Calibration Kit, IR/Remote Kit,	<u>,</u>	C 4 700 00		45 250 2
	UN552VS-TMX9P	FREE Standard Ground Freight - LIMITED AVAILABILITY Qty 4 - UN552V bundled with four ONSTEMN-3Y-15, Qty 4 -	\$	64,799.00	\$	45,359.3
		3M DP cables, 25ft cat5e patch cable, serviceable- fully				
		adjustable mounting system that supports landscape and				
		portrait orientation, SurgeX power conditioner, Overframe				
	UN552V-TMX4P	Bezel Kit, KT-LFD-CC2 Color Calibration Kit, IR/Remote Kit.	\$	33,359.00	\$	23,351.3
		Qty 9 - UN552V bundled with nine UNSTEMIN-3Y-15, Qty 9 -				
		3M DP Cables, 25ft cat5e patch cable, serviceable- fully				
		adjustable mounting system that supports landscape and				
		portrait orientation, SurgeX power Conditioner, Overframe Bezel Kit, KT-LFD-CC2 Color Calibration Kit, IR/Remote Kit, FREE				
	UN552V-TMX9P	Standard Ground Freight	Ś	75,059.00	\$	52,541.3
	0103320-110129-		Ş	73,039.00	2	52,541.5
ofessional Grade X Series						
		X754HB, 75" LED High Brightness LCD, Public Display Monitor,				
		1920x1080 (FHD), Direct LED back light unit, 2500 cd/m2 max				
		brightness, quarter lambda polarizer, Integrated temperature				
		sensors and thermodynamic cooling fans, AV function, Dual				
		Slot (One OPS, One Connectivity Expansion), DisplayPort 1.2				
		Multistream capability, control and digital signal loop-through,				
	Х754НВ	SNMP support, 3 Year Warranty *LIMITED AVAILABILITY*	\$	14,999.00	\$	10,499.3
Series						
		and built in Linux based 8.0 SoC. Includes Mosaic wireless				
		presentation and Mosaic Canvas interactive whiteboard				
		software, browser, and annotation tools. OPS slot, 3x HDMI				
		2.0, VGA, LAN, 6x USB, RS-232, 350cd/m^2 MAX, 3yr warranty,				
	CB751Q	wall mount included	\$	7,029.00	\$	4,568.8
		oo ono collaborative display with integrated topt in touch				
		and built in Linux based 8.0 SoC. Includes Mosaic wireless				
		presentation and Mosaic Canvas interactive whiteboard software, browser, and annotation tools. OPS slot, 3x HDMI				
		2.0, VGA, LAN, 6x USB, RS-232, 350cd/m^2 MAX, 3yr warranty,				
	CB861Q	wall mount included	\$	9,478.00	\$	6,160.7
rge Format Accessories			Ť	2,	1.7	2,200.7
		3M Projected Capacitive (PCAP) overlay for the V404/P404.				
		Supports 80 points of touch, zero bezel flat front, ultra-fast	Ι.		Ι.	
	OLP-404	response time, thermoplastic seal, tempered glass	\$	2,200.00	\$	1,980.0
		3M Projected Capacitive (PCAP) overlay for the V484/P484.				
	010.404	Supports 80 points of touch, zero bezel flat front, ultra-fast response time, thermoplastic seal, tempered glass	Ś	2,650.00	\$	2,385.0
		Projected Capacitive (PCAP) overlay for the V484/P484.	ې ا	2,030.00	<u>۲</u>	2,303.0
	OLP-484				1	
	OLP-484	Supports 40 points of touch, zero bezel flat front, ultra-fast				
	ULP-484					
	OLP-484 OLP-484-2	Supports 40 points of touch, zero bezel flat front, ultra-fast response time, tempered glass (Suggested Replacement for OLP-484)	\$	3,121.00	\$	2,808.9
		Supports 40 points of touch, zero bezel flat front, ultra-fast response time, tempered glass (Suggested Replacement for	\$	3,121.00	\$	2,808.9
		Supports 40 points of touch, zero bezel flat front, ultra-fast response time, tempered glass (Suggested Replacement for OLP-484)	\$	3,121.00	\$	2,808.9

New Product Price Change Discontinued Administrative Change	SHARP/	Mississippi - IT Hardware 3760 October 18, 2021	US Suggested Retail Price MS EPL Price						
	Order Code	Description	US Sug						
	QLP-554-2	Projected Capacitive (PCAP) overlay for the V484/P484. Supports 40 points of touch, zero bezel flat front, ultra-fast response time, tempered glass (Suggested Replacement for OLP-554)	\$	3,569.00	Ś	3.212.10			
		10 Point Infrared Touch Overlay for the C501. HID compliant, AR Tempered glass and easy installation. Must order C501		,					
	OLR-501	separately. 10 Point Infrared Touch Overlay for the C551. HID compliant, AR Tempered glass and easy installation. Must order C551	\$	1,749.00	\$	1,311.75			
	OLR-551	separately. 10 Point Infrared Touch Overlay for the C651Q and V654Q. HID compliant, Clear Tempered glass and easy installation.	\$	2,029.00	\$	1,521.75			
	OLR-651	Must order C651Q or V654Q separately. 10 Point Infrared Touch Overlay for the C751Q and V754Q. HID compliant, Clear Tempered glass and easy installation.	\$	2,799.00	\$	2,099.25			
	OLR-751	Must order C751Q or V754Q separately. 10 Point Infrared Touch Overlay for the C861Q and V864Q. HID compliant, Clear Tempered glass and easy installation.	\$	3,723.00	\$	2,792.25			
	OLR-861	Must order C861Q or V864Q separately. 10 Point initiated Touch Overlay for the v323. Windows 8	\$	4,759.00	\$	3,569.25			
	QI-V323-2	swipe zone, HID compliant, Tempered glass and easy installation. Must order V323-2 separately. ST-322 optional floor stand can no longer screw in when overlay is installed. Will only work with the V323-2 and V323-3	Ś	2.099.00	ć	1,469.30			