

# Large Screen Displays



E Series								
NEC Model Number	E328	E438	E498	E558	E658	E758	E868	E988
MAP in USD	\$535	\$673	\$809	\$901	\$1,069	\$2,089	\$2,846	\$7,831
LCD Size	32"	43"	49"	55"	65"	75"	86"	98"
Native Resolution	1920 x 1080			3840 x 2160				
Runtime	16/7					18/7		24/7
Contrast Ratio (typical)	8000:1 (Out of box conditions, local dimming ON)					1200:1 (without local dimming)		
Brightness	400 cd/m <sup>2</sup>							
Refresh Rate	60Hz							
Power Consumption (typical)	31W	72W	109W	105W	144W	145W	205W	200W
Expansion Compatible	All OPS PC's when coupled with the OPS-DOCK							
Dimensions (W x H x D)	28.61 x 16.63 x 2.64 in.	38.3 x 22.04 x 2.80 in.	43.42 x 24.98 x 2.82 in.	48.76 x 27.98 x 2.83 in.	57.38 x 32.83 x 3.8 in.	66.23 x 37.84 x 3.28 in.	75.89 x 43.27 x 3.28 in.	86.4 x 49.22 x 3.32 in.
Bezel Width (L/R, T/B)	0.49/0.49, 0.49/0.55 in.	0.49/0.49, 0.49/0.55 in.	0.49/0.49, 0.49/0.55 in.	0.49/0.49, 0.49/0.55 in.	0.51/0.51, 0.51/0.57 in.	0.58/0.56, 0.56/0.58 in.	0.58/0.56, 0.56/0.58 in.	0.63/0.63, 0.63/0.63 in.
Speakers	Integrated 5W x 2		Integrated 10W x 2					
Optional Stand	ST-32E2			ST-55E			ST-801	

P Series			
NEC Model Number	P435 / -IR / -MPi4e / -PC5 / -PT	P495 / -IR / -MPi4E / -PC5 / -PT	P555 / -IR / -MPi4e / -PC5 / -PT
MAP in USD	\$1,755 / \$3,409 / \$1,934 / \$2,493 / \$3,685	\$1,959 / \$3,739 / \$2,138 / \$2,697 / \$4,179	\$2,685 / \$4,179 / \$2,864 / \$3,243 / \$4,839
LCD Size	43"	49"	55"
Native Resolution	3840 x 2160		
Runtime	24/7		
Contrast Ratio (typical)	≥8,000:1 (Out of the box conditions, local dimming ON)		
Brightness	700 cd/m <sup>2</sup>		
Refresh Rate	60 Hz		
Power Consumption (typical)	90W	105W	110W
Expansion Compatible	OPS* and Raspberry Pi Compute Module		
Dimensions (W x H x D)	38.1 x 22.1 x 2.6 in.	43.4 x 25.1 x 2.4 in.	48.8 x 28.1 x 2.4 in.
Bezel Width (L/R, T/B)	0.43/0.43 in., 0.43/0.61 in.	0.49/0.49 in., 0.47/0.61 in.	
Speakers	Optional available (SP-RM3)		
Optional Stand	ST-401		



UN Series	
NEC Model Number	UN552 / UN552V      UN552S / UN552VS
MAP in USD	\$4,919 / \$4,559      \$5,725 / \$5,129
LCD Size	55"
Native Resolution	1920 x 1080
Runtime	24/7
Contrast Ratio (typical)	1200:1 (without local dimming)      1100:1 (without local dimming)
Brightness	700 / 500 cd/m <sup>2</sup>
Refresh Rate	60Hz
Power Consumption (typical)	110W/150W      165W/165W
Expansion Compatible	OPS and Raspberry Pi Compute Module
Dimensions (W x H x D)	47.8 x 27 x 4.1 in.      47.7 x 26.8 x 3.9 in.
Bezel Width (L/R, T/B)	0.09/0.05, 0.09/0.05 in.      0.02/0.02 in., 0.02/0.02 in.
Speakers	No
Optional Stand	ST-5220

Collaborative Board				
NEC Model Number	WD551	CB651Q-2 / -C1	CB751Q / -C1	CB861Q / -C1
MAP in USD	\$7,579	NA / \$3,187	\$3,999 / \$4,511	\$5,215 / \$5,727
LCD Size	55"	65"	75"	86"
Native Resolution	3840 x 2160			
Contrast Ratio (typical)	≥1200:1	12000:1	11000:1	12000:1
Brightness	400 cd/m <sup>2</sup>	350 cd/m <sup>2</sup>		
Refresh Rate	60Hz			
Power Consumption (typical)	155W	160W	210W	365W
Computing	Windows10	Linux based 8.0, System on Chip		
Dimensions (W x H x D)	55.4 x 37.4 x 8.66 in.	58.6 x 35.3 x 3.4 in.	67.3 x 40.2 x 3.4 in.	77 x 45.7 x 3.4 in.
Protective Glass	Thermal Tempered Anti-Glare			
Touch	Capacitive 10pt writing/ 20pt touch		Infrared 10pt writing/20pt touch	
Speakers	12W Stereo speakers			
Included software	NA			

\*Mosaic Connect and Mosaic Canvas software is EOL.

\*-AVT and -PCX models contain a module within the OPS Slot

\*\*-MPi models contain the NEC Mediaplayer within the Raspberry Pi Compute Module slot

Minimum Advertised Price current as of 6/1/24. Pricing subject to change.

Visit [www.sharpeddisplays.us](http://www.sharpeddisplays.us) for more information

# Large Screen Displays



	ME Series			
NEC Model Number	ME431 / -AVT3 / -IR / -MPi4e / -PT	ME501 / -AVT3 / -IR / -MPi4e / -PC5 / -PT	ME551 / -AVT3 / -IR / -MPi4e / PC5	ME651 / -AVT3 / -MPi4e / PC5
MAP in USD	NO MAP	NO MAP	NO MAP	NO MAP
LCD Size	43"	50"	55"	65"
Native Resolution	3840 x 2160			
Runtime	18/7			
Contrast Ratio (typical)	≥8,000:1 (Out of the box conditions, local dimming ON)			
Brightness	400 cd/m <sup>2</sup>			
Refresh Rate	60Hz			
Power Consumption (typical)	80W	85W	120W	165W
Expansion Compatible	Intel® Smart Display Module Small or Large, Raspberry Pi Compute Module 4, -AVT3, -PC5 & -MPi4E have SDM or Raspberry Pi Compute Module slots taken up by integrated solutions			
Dimensions (W x H x D)	38.3 x 22.1 x 2.8 in.	44.4 x 25.6 x 2.5 in.	48.9 x 28.1 x 2.5 in.	55.6 x 33.0 x 2.7 in.
Bezel Width (L/R, T/B)	13.9mm Even	14.9mm Even	13.9mm Even	14.9mm Even
Speakers	Integrated 10W x 2			
Optional Stand	ST-43M	ST-401, ST-43M	ST-65M	

	Sharp ME Series			
Sharp Model Number	PN-ME432	PN-ME502	PN-ME552	PN-ME652
MAP in USD	\$758	\$913	\$969	\$1,625
LCD Size	43"	50"	55"	65"
Native Resolution	3840 x 2160			
Runtime	18/7			
Contrast Ratio (typical)	1200:1	4000:1	1200:1	1200:1
Brightness	400 cd/m <sup>2</sup>	450 cd/m <sup>2</sup>		
Refresh Rate	60Hz			
Power Consumption (typical)	90W	85W	120W	140W
Expansion Compatible	None, integrated SoC Design			
Dimensions (W x H x D)	38 x 21.8 x 2.4 in.	44 x 25.2 x 2.44 in.	48.5 x 27.7 x 2.44 in.	57.6 x 57.6 x 2.44 in.
Bezel Width (L/R, T/B)	9.9mm Even			15.9mm Even
Speakers	Integrated 10W x 2			
Optional Stand	ST-43M			ST-65M

	MA Series		
NEC Model Number	MA431 / -IR / -MPi4e / -PC5 / -PT	MA491 / -IR / -MPi4e / -PC5 / -PT	MA551 / -IR / -MPi4e / -PC5 / -PT
MAP in USD	\$1,259 / \$3,149 / \$1,438 / \$1,997 / \$3,359	\$1,389 / \$3,483 / \$1,568 / \$2,209 / \$3,833	\$2,049 / \$3,779 / \$2,228 / \$2,787 / \$4,515
LCD Size	43"	49"	55"
Native Resolution	3840 x 2160, Wide Color Gamut		
Runtime	24/7		
Contrast Ratio (typical)	≥8,000:1 (Out of the box conditions, local dimming ON)		
Brightness	500 cd/m <sup>2</sup>		
Refresh Rate	60Hz		
Power Consumption (typical)	70W	85W	90W
Expansion Compatible	Intel® Smart Display Module Small or Large, Raspberry Pi Compute Module 4, -AVT3, -PC5 and -MPi4E have SDM or Raspberry Pi Compute Module slots taken up by integrated solutions		
Dimensions (W x H x D)	38.1 x 22.1 x 2.6 in.	43.4 x 25.1 x 2.4 in.	48.8 x 28.1 x 2.4 in.
Bezel Width (L/R, T/B)	11.0/11.0, 11.0/15.6mm	12.5/12.5, 12.0/15.6mm	
Speakers	Optional Available (SP-RM3)		
Optional Stand	ST-401, ST-43M		



	M Series							
NEC Model Number	M321 / -PT / -IR	M431 / -AVT3 / -IR / -MPi4e / -PT	M491 / -AVT3 / -IR / -MPi4e / -PC5 / -PT	M551 / -AVT3 / -IR / -MPi4e / -PC5 / -PT	M651 / -AVT3 / -IR / -MPi4e / -PC5 / -PT	M751 / -AVT3	M861 / -AVT3	M981 / -AVT3
MAP in USD	\$755 / \$2,599 / \$2,450	\$1,049 / \$1,249 / \$2,799 / \$1,228 / \$3,045	\$1,259 / \$1,459 / \$3,149 / \$1,438 / \$1,997 / \$3,675	\$1,659 / \$1,859 / \$3,465 / \$1,838 / \$2,397 / \$4,199	\$2,399 / \$2,599 / \$4,409 / \$2,578 / \$3,137 / \$5,249	\$2,968 / \$3,418	\$3,900 / \$4,450	\$10,625 / \$10,875
LCD Size	32"	43"	49"	55"	65"	75"	86"	98"
Native Resolution	1920 x 1080	3840 x 2160						
Runtime	24/7							
Contrast Ratio (typical)	1100:1	≥8,000:1 (Out of the box conditions, local dimming ON)						
Brightness	450 cd/m <sup>2</sup>	500 cd/m <sup>2</sup>						
Refresh Rate	60Hz							
Power Consumption (typical)	40W	80W	95W	110W	120W	205W	320W	340W
Expansion Compatible	No	Intel® Smart Display Module Small or Large, Raspberry Pi Compute Module 4, -AVT3, -PC5 and -MPi4E have SDM or Raspberry Pi Compute Module slots taken up by integrated solutions						
Dimensions (W x H x D)	28.6 x 16.8 x 2.6 in.	38.1 x 22.1 x 2.6 in.	43.4 x 25.1 x 2.4 in.	48.8 x 28.1 x 2.4 in.	57.4 x 32.9 x 2.5 in.	66.2 x 37.8 x 3.3 in.	75.9 x 43.3 x 3.3 in.	86.4 x 49.2 x 3.3 in.
Bezel Width (L/R, T/B)	11.9/11.9, 11.9/17.2 mm	11.0/11.0, 11.0/15.6mm	12.5/12.5, 12.0/15.6mm		14.3/14.3/14.3/14.8mm		15.9/15.9, 15.9/15.9mm	
Speakers	Integrated 5W x 2	Integrated 10W x 2			Integrated 10W x 2			
Optional Stand	ST-32M	ST-401, ST-43M			ST-65M	ST-801		

\*-AVT and -PCX models contain a module within the OPS Slot. \*\*-MPi models contain the NEC Mediaplayer within the Raspberry Pi Compute Module slot

Minimum Advertised Price current as of 6/1/24. Pricing subject to change.

Visit [www.sharpeddisplays.us](http://www.sharpeddisplays.us) for more information

# Large Screen Displays



	Stretch Series
NEC Model Number	BT421
MAP in USD	\$2,945
LCD Size	42"
Native Resolution	1920 x 480
Contrast Ratio (typical)	4000:1
Brightness	700 cd/m <sup>2</sup>
Refresh Rate	60Hz
Power Consumption (typical)	50W
Expansion Compatible	No
Dimensions (W x H x D)	41.7 x 11.4 x 2.6 in.
Bezel Width (L/R, T/B)	0.72/0.72, 0.72/0.72 in.
Speakers	NA
Optional Stand	N/A

	IR Touch Overlays	
NEC Model Number	OLR-751	OLR-861
ESP in USD	\$2,659	\$3,399
Compatible with	C750Q/V754Q	C860Q/V864Q
Simultaneous Touches*	10	
Dimensions (Overlay) (W x H x D)	67.6 x 39.2 x 2.1 in.	77.2 x 44.6 x 2.1 in.
Dimensions (w/ display) (W x H x D)	67.6 x 39.2 x 3.5 in.	45.6 x 26.7 x 2.5 in.
Response Time	6 - 16ms	
Included	Installation Instructions, 3m USB Extension Cable, Installation Screws, IR Overlay	
Touch Technology	IR Scanning	
Number of Touches	Up to 10 simultaneous	
Overlay Weight	19.3 lbs	TBD

\* When overlay is integrated onto a corresponding V series display, the optional stand accessory may not screw into place.



	Open Pluggable Specification (OPS) PC Models	
NEC Model No.	OPS-TI7W-PS	OPS-TAA8R-PS
MAP in USD	\$1,999	\$1,149
Hard Drive	128GB M.2 SSD	64GB SSD
Operating System	Windows 10 Professional	Windows 10 IoT
CPU	Whiskeylake 8665U, 1.9 GHz Quad-Core	A8-5550M, 2.1GHz Quad-Core
GPU	Intel HD Graphics 620	Radeon HD8550
RAM	8GB DDR4	4GB DDR3
Network Connections	Gigabite Ethernet / WiFi	Gigabite Ethernet, 802.11 b/g/n Wifi
Control I/O	USB 3.0 x 2 / USB 2.0 x 2	USB 2.0 x 2, USB 3.0 x 2
Dimensions (W x H x D)	7.1 x 1.2 x 4.6 in.	

	Smart Display Module (SDM) PC Models		
NEC Model No.	SDM-VICW-IS	SDM-VI3W-IS	SDM-VISW-PS
MAP in USD	\$820	\$1,399	\$1,899
Hard Drive	64GB mSATA	128GB mSATA	256GB SSD
Operating System	Windows 10 IoT Enterprise		Windows 10 Pro
CPU	Intel® Celeron G4930E	Intel® i3-8100H processor	Intel® i5-8400H processor
GPU	Intel UHD Graphics 630		
RAM	8GB DDR3 RAM, dual channel		16GB DDR4 RAM
Network Connections	Gigabite Ethernet	Gigabite Ethernet, Bluetooth, WiFi	
Control I/O	USB 3.1 x 4, MiniDP front output		
Dimensions (W x H x D)	7.1 x 1.2 x 4.6 in.		

NEC Model No.	Edition Raspberry Pi Compute Module	MAP in USD
MPI4E	1.2GHz quad core ARM Cortex A53, Broadcom VideoCore IV, 1 GB LPDDR2-900 SDRAM, 32GB eMMC on board memory, Pre-loaded with NEC MediaPlayer and CMS NEC MediaPlayer installed on the NEC Edition Raspberry Pi Compute Module 4 System on a Chip, Broadcom BCM2711, Quad-core Cortex-A72 (ARM v8) 64-bit SoC @ 1.5GHz, 4 GB LPDDR4-3200 SDRAM, 32GB eMMC on board memory.	\$199

NEC Model No.	Other SDM Options	MAP in USD
SDM-12GSDI	SDM based 12G SDI Receiver	\$1,399
SDM-HDBT	SDM based HD BaseT Receiver Module	\$449
DSI-TM01	ATSC / NTSC Tuner Module	\$249
SDM-DOCK	External dock for SDM accessories	\$339
OPS-HDBT-BND	OPS HDBaseT receiver module and SB-12AM	\$699
OPS-SDI-BND	SDM based 12G SDI card and SB-12AM	\$1,599

NEC Model No.	Other OPS Options	MAP in USD
SB-01HC	OPS based HD-SDI Card	NO MAP
SB-04HC	OPS based 3G-SDI Card	NO MAP

# Professional LCD Monitors



## LCD Interactive Touch Screen Display Systems


Sharp Model No.	4W-B55FT5U / 4W-B65FT5U / 4W-B75FT5U / 4W-B86FT5U	PN-LC652 / PN-LC752 / PN-LC862	PN-L652B / PN-L752B / PN-L862B	PN-LA652 / PN-LA752 / PN-LA862
Sharp Advantage	3,840 x 2,160 pixel resolution / Built-in Digital Tuner & Media Player / HDR10 & HTML5 Web Browser / Built-in Wireless Connectivity	65"/75"/86" Class Whiteboards / Built-in SoC Controller / Optional PN-ZCMS1 AV Soundbar / Built-in Wireless Connectivity	65"/75"/86" Class Whiteboards / Built-in SoC Controller / Optional PN-ZCMS1 AV Soundbar / Built-in Wireless Connectivity	65"/75"/86" Class Whiteboards / Optional PN-ZCMS1 AV Soundbar / Built-in Wireless Connectivity / Window 11 Pro SDM Controller
MAP in USD	\$1,269 / \$1,659 / \$2,599 / \$3,779	\$2,499 / \$3,299 / \$4,639	\$2,995 / \$3,995 / \$5,495	\$9,195 / \$10,595 / \$16,995
Screen Size	55" class (54.6" diagonal) 65" Class (64.5" diagonal) 75" Class (75.0" diagonal) 86" Class (85.6" diagonal)	65" class (64 - 1/2" diagonal) 75" class (74 - 1/2" diagonal) 86" class (85 9/16" diagonal)	65" class (64 - 1/2" diagonal) 75" class (74 - 1/2" diagonal) 86" class (85 9/16" diagonal)	65" class (64 - 1/2" diagonal) 75" class (74 - 1/2" diagonal) 86" class (85 9/16" diagonal)
UV <sup>2</sup> A Panel	No			
Backlight	LED direct lit			
Native Resolution	3840 x 2160			
Contrast Ratio	1300:1 / 1300:1 / 1200:1 / 1200:1	1200:1 / 1200:1 / 1200:1	4000:1 / 5000:1 / 1200:1	1200:1 / 1200:1 / 1200:1
Brightness	270 cd/m <sup>2</sup> / 300 cd/m <sup>2</sup> / 350 cd/m <sup>2</sup> / 350 cd/m <sup>2</sup>		400 cd/m <sup>2</sup>	
Optional PC	Yes - PN-SPCi5W11A			
Dimensions (W x D x H)	48.3" (W) x 2.9" (D) x 28" (H) 56.9" (W) x 2.9" (D) x 32.9" (H) 65.9" (W) x 3" (D) x 37.8" (H) 75.7" (W) x 4.01" (D) x 43.4" (H)	59 1/2" x 3-3/8" x 36-1/8" 67-13/16" x 3-7/16" x 40-5/8" 77-1/2" x 3-7/16" 46-1/16"	58-19/32" (W) x 3-13/32" (D) x 35-5/16" (H) 67-5/16" (W) x 3-13/32" (D) x 40-3/32" (H) 77-3/32" (W) x 3-13/32" (D) 45-19/32" (H)	55 3/16" x 3-9/16" x 35-1/4" 67-3/4" x 3-3/8" x 40-3/8" 77-3/8" x 3-3/8" 45-13/16"
Weight	61.29 lbs. / 88.18 lbs. / 132.3 lbs / 150.4lbs.	84.9 lbs. / 112.4 lbs. / 143.3 lbs.	84 lbs. / 109.1 lbs. / 142.1 lbs.	84.9 lbs. / 112.4 lbs. / 143.3 lbs.
Bezel Width	3 mm (L/R/T), 19 mm (B) 4 mm (L/R/T), 21 mm (B) 6 mm (L/R/T), 17 mm (B) 5.5 mm (L/R/T), 19 mm (B)	21.9 mm (L/R/T), 53.2 mm (B) 21.9 mm (L/R/T), 53.2 mm (B) 21.9 mm (L/R/T), 53.2mm (B)	29.9 mm (L/R) 31.9 mm (T), 60.8 mm (B) 29.4 mm (L/R) 29.5 mm (T), 61.7 mm (B) 30.8 mm (L/R) 30.6 (T), 62.7 mm (B)	4.8 mm (L/R/T), 32.3 mm (B) 4.8 mm (L/R/T), 32.3 mm (B) 4.8 mm (L/R/T), 32.3mm (B)
Built-in Speakers	Yes			
Orientation	Landscape Only		Yes	
Power Consumption	130W / 180W / 300W / 380W	180W / 200W / 260W	330W / 400W / 470W	190W / 205W / 275W
Limited Warranty	3-Year Limited		5-Year Limited	
Commercial Usage	16/7 Certified		24/7 Certified	

# Large Screen Displays



4K Ultra HD Commercial LCD Displays	
Sharp Model Number	4P-B50EJ2U / 4P-B55EJ2U / 4P-B65EJ2U / 4P-B75EJ2U / 4P-B43EJ2U / 4P-B86EJ2U
Sharp Advantage	3,840 x 2,160 pixel resolution, Built-in Digital Tuner & Media Player, HDR10 & HTML5 Web Browser
MAP in USD	\$590 / \$635 / \$850 / \$1,290 / \$475 / \$2,365
Screen Size	50" class (49.5" diagonal) 55" class (54.6" diagonal) 65" Class (64.5" diagonal) 75" Class (75.0" diagonal) / 43" Class (42.5" diagonal) 86" Class (85.6" diagonal)
UV <sup>2</sup> A Panel	No
Backlight	LED direct lit
Native Resolution	3840 x 2160
Contrast Ratio	5000:1 / 1300:1 / 1300:1 / 1200:1 / 1000:1 / 1200:1
Brightness	300 cd/m <sup>2</sup> / 300 cd/m <sup>2</sup> / 330 cd/m <sup>2</sup> / 380 cd/m <sup>2</sup> / 300 cd/m <sup>2</sup> / 380 cd/m <sup>2</sup>
Optional PC	TBA
Dimensions (W x D x H)	43.8" x 2.8" x 25.3" 48.3" x 2.9" x 28" 56.9" x 2.9" x 32.9" 65.9" x 3" x 37.8" / 37.7" x 2.83" x 22" 75.7" x 4.1" x 43.4"
Weight	21.7 / 28.3 lbs. / 36.2 lbs. / 62.2 lbs / 14.6 / 93.7 lbs
Bezel Frame Width	4 mm (L/R/T), 16 mm (B) 3 mm (L/R/T), 19 mm (B) 4 mm (L/R/T), 21 mm (B) 6 mm (L/R/T), 17 mm (B) / 3 mm (L/R/T), 17 mm (B) 5.5 mm (L/R/T), 19 mm (B)
Built-in Speakers	Yes
Portrait and Landscape	Landscape
Power Consumption	130W / 130W / 180W / 300W / TBA
Limited Warranty	3-Year Limited
Commercial Usage	16/7 Certified

4K Ultra-HD Value Level Professional Displays	
Sharp Model Number	PN-HY501
Sharp Advantage	Flexible Mounting Configuration / Thin Profile/LEED compliant / Built-in Media Player
MAP in USD	\$1,825
Screen Size	50" class (49 1/2" diagonal)
UV <sup>2</sup> A Panel	No
Backlight	LED, direct lit
Native Resolution	3840 x 2160
Contrast Ratio	4000:1
Brightness	500 cd/m <sup>2</sup>
Optional PC	Yes - PN-SPCi5W10C8GB
Dimensions (W x D x H)	44 7/16" x 2-1/2" x 25-9/16"
Weight	33.1 lbs.
Bezel Frame Width	14.29mm
Built-in Speakers	Yes
Portrait and Landscape	Yes
Power Consumption	110 W
Limited Warranty	3-Year Limited
Commercial Usage	24/7 Certified



# Large Screen Displays



4K Ultra-HD Premium Level Professional Displays		
Sharp Model Number	PN-HS501	PN-HS551
Sharp Advantage	Flexible Mounting Configuration / Thin Profile/LEED compliant / High Brightness / Built-in Media Player	
MAP in USD	N/A	N/A
Screen Size	50" class (49 1/2" diagonal)	55" class (54 5/8" diagonal)
UV <sup>2</sup> A Panel	No	
Backlight	LED, direct lit	
Native Resolution	3840 x 2160	
Contrast Ratio	4000:1	5000:1
Brightness	700 cd/m <sup>2</sup>	
Optional PC	Yes - PN-SPCi5W10C8GB	
Dimensions (W x D x H)	44 7/16" x 2-1/2" x 25-9/16"	48 7/8" x 2-1/2" x 28-1/16"
Weight	33.1 lbs.	39.7 lbs.
Bezel Frame Width	14.29mm	
Built-in Speakers	Yes	
Portrait and Landscape	Yes	
Power Consumption	150 W	190 W
Limited Warranty	3-Year Limited	
Commercial Usage	24/7 Certified	

**DAILY EATERY**  
IT'S FOOD TIME, COME FEAST WITH US

**LUNCH SPECIAL \$18.99**  
Irresistible Gnocchi Recipes

**HEARTS DELIGHT \$17.99**  
Heart warming Brunch Recipes

**HEALTHY CHOICE \$28.99**  
Healthy and delicious Meals

**CHEF'S PICK \$32.99**  
A taste of the Chef's favorites

@DAILYEATERY ON SOCIAL MEDIA

mindful. moving. modern

we design and create works of art.

Architecture is both the process and the product of planning, designing, and constructing buildings or other structures. Architectural works, in the material form of buildings, are often perceived as cultural symbols and as works of art.

PALM COVE

The desired rest awaits you in our hotel

**Relax in Palm Cove**  
Get a great night's rest in a convenient location at the Comfort Inn in Cranston, just minutes from Jackson City. Enjoy free WiFi and access to our copy, print and fax services, especially convenient for business travelers.